

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4717	(370/230-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 10:37
S3	6047	(370/229-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/21 06:50
S29	1585	(370/537-541).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/15 13:13
S37	3825	(370/412-419).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 13:38
S48	2489	(370/412).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/16 13:29
S64	2491	(370/412).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 08:02
S120	422	(370/229).ccls. and (@ad<="19991126")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 16:20
S121	780	(370/412).ccls. and (@ad<="19991126")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/17 16:45
S122	424	(370/413).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 12:11

S123	94	S122 and (underflow or overflow)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 16:22
S126	2472	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 06:54
S132	3520	(370/412-418).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 13:39
S134	2369	(370/235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 13:54
S136	116	(370/236.1).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 14:15
S137	797	(370/236).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 14:15
S146	1	10/730390	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 11:23
S165	2009	(370/230).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 13:07
S168	62	(rout\$3 or switch\$3 or bridg\$3) same (queue or buffer or stor \$4) same (low or high) same (threshold or (water near2 mark))near5 (halt or backpressur\$3 or feedback\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:33
S169	3	S168 and (drop\$4 or discard\$3 or throw\$3) with (packet or frame or PDU or cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:33

S170	4484	(370/412-419).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:36
S171	127	S170 and (backpressur\$3 or feedback\$3) with (congest\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:36
S172	18	S171 and (queue or buffer or stor\$4) with (low or high) with (threshold or limit or (water near2 mark))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 16:37
S188	2596	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:10
S189	82	S188 and (discard\$3 or drop \$4) near3 (packet or frame or PDU or frame)with (congest\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:10
S190	76	(flow with control) near3 (router or switch or bridg\$3 or gateway) with (congest\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/28 17:17
S191	21	((BRUCE) near2 (MELVIN)). INV.	US-PGPUB; USPAT	ADJ	ON	2009/03/18 10:58
S192	26	((ROBERT) near2 (FAULK)). INV.	US-PGPUB; USPAT	ADJ	ON	2009/03/18 10:58
S193	2698	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:08
S194	4141	(370/412-418).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:08
S195	8420	(370/229-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:08
S196	131	S193 and S194 and S195	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:09

S197	12	S196 and (discard\$3 or drop \$4) with (descriptor or pointer or (link near2 list) or identifier)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:11
S200	10	("5539747" or "6167452" or "6084856" or "6493315" or "6192422").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 11:35
S211	441	(discard\$3 or drop\$4) near3 (pointer or descriptor or identifier or (link or port near2 (list)))with (buffer or queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:57
S212	409	S211 and (maximum or threshold or limit or (high or low near2 (water)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:58
S213	4	S211 and (maximum or threshold or limit or (high or low near2 (water)))near2 (mark)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 16:59
S215	2	S212 and (number) with (flow near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 17:00
S216	17	S212 and (flow near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 17:01
S217	10	("5539747" or "6167452" or "6084856" or "6493315" or "6192422").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 17:13
S218	2527	(370/230).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 18:26
S219	26	S218 and (discard\$3 or drop \$4) near3 (pointer or descriptor or identifier or (link or port near2 (list)))with (buffer or queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 18:27
S220	3	S219 and (backpressure or feedback or halt near2 (pause or signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/18 18:28

S221	51	(feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (bufffer or queue or memory) with (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:04
S222	193	(feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (bufffer or queue or memory) with (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:16
S223	1	(releas\$3) with(feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (bufffer or queue or memory) with (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:44
S224	47	(releas\$3) with(feedback\$3 or backpressur\$3 or halt\$3 or pause) near2 (bufffer or queue or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:45
S225	38	S224 and (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:45
S226	47	(releas\$3 or resum\$3 near2 (transmission)) with(feedback \$3 or backpressur\$3 or halt\$3 or pause) near2 (bufffer or queue or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:48
S227	109	(releas\$3 or resum\$3 near2 (transmission)) same(feedback \$3 or backpressur\$3 or halt\$3 or pause) near2 (bufffer or queue or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:51
S228	85	S227 and (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:51
S229	91	S227 and (descriptor or (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority or (frame or packet near2 (size or type)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:57

S230	82	S229 and (threshold or limit or maximum or minimum or level or length or size)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 09:58
S231	2775	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:46
S232	4328	(370/412-418).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:46
S233	9020	(370/229-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:46
S234	0	S231 same S232 same S233	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 08:47
S243	2147	(370/229).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 09:02
S244	1939	S243 and (descriptor or o ID or identifier or tag (message near2 descriptor) or (link or port near2 (list))or pointer or counter or priority)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/11 09:03
S247	348	(packet or frame or cell) near2 (descriptor\$1 or pointer\$3 or Id or identifier\$1)with (buffer or queue or stor\$4 or memory) with (low or high or upper near2 (threshold or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 16:47
S248	37	S247 and (pause or halt or (flow near2 control))near2 (frame or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 16:48
S249	22	S247 and (pause or halt or backpressur\$3 or feedback) near2 (frame or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 16:53

S250	640	(pause or halt or backpressur\$3 or feedback)near2 (frame or signal)with (buff\$4 or queu\$3 or memory) with (packet or frame or cell near2 (pointer\$3 or descriptor\$3 or dientifer\$3 or ld\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 16:57
S251	561	S250 and (queue or buffer or memory near2 (threshold or limit or size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 16:58
S252	1561	(pause or halt or backpressur\$3 or feedback)with (frame or signal)with (buff\$4 or queu\$3 or memory) with (packet or frame or cell near2 (pointer\$1 or descriptor\$1 or dientifer\$1 or ld\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 16:59
S253	64	S252 and (discard\$3 or drop\$4 or reject\$3) with (exceed\$3 near2 (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 17:00
S254	2191	(discard\$3 or drop\$4 or reject\$3)same (packet or frame or cell or PDU near2 (ld or idneitifier\$1 or descriptor\$1 or message\$1)) with (exceed\$3 near2 (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 17:06
S255	497	(discard\$3 or drop\$4 or reject\$3)same (packet or frame or cell or PDU near2 (ld or identifier\$1 or descriptor\$1 or message\$1)) with (exceed\$3 near2 (limit or threshold))near2 (queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 17:07
S256	35	S255 and(pause or halt or backpressur\$3 or feedback) with (frame or signal)with (buff\$4 or queu\$3 or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 17:07
S257	1491	(discard\$3 or drop\$4 or reject\$3)same (packet or frame or cell or PDU near2 (ld or identifier\$1 or descriptor\$1 or message\$1)) same (exceed\$3 near2 (limit or threshold))same (queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 17:10

S258	162	S257 and(pause or halt or backpressur\$3 or feedback) near3 (frame or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 17:11
S259	19	S258 and @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 17:12
S260	24	((BRUCE) near2 (MELVIN)). INV.	US-PGPUB; USPAT	OR	ON	2010/05/18 17:13
S261	8246	(370/230-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/18 18:30
S262	316	S261 and (discard\$3 or drop\$4 or reject\$3)same (packet or frame or cell or PDU near2 (ld or identifier\$1 or descriptor\$1 or message\$1)) same (exceed \$3 near2 (limit or threshold)) same(queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:30
S263	3328	S261 and (discard\$3 or drop\$4 or reject\$3)with (packet or frame or cell or PDU near3(ld or identifier\$1 or descriptor\$1 or message\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:33
S264	483	S261 and (discard\$3 or drop\$4 or reject\$3) near3(ld or identifier\$1 or descriptor\$1 or message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:33
S265	102	S261 and (discard\$3 or drop\$4 or reject\$3) near3(ld or identifier\$1 or descriptor\$1 or message\$1)with (buffer or queue or emory or stor\$4 near2 (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:37
S266	109	S261 and (discard\$3 or drop\$4 or reject\$3) near3(ld or identifier\$1 or descriptor\$1 or message\$1)with (buffer or queue or memory or stor\$4 near2 (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:38
S267	25	S266 and @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:38

S268	4664	(370/412-418).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:08
S269	1187	S268 and (halt or pause or slow or backpressur\$3 or feedback near2 (signal or frame or request))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:09
S270	1155	S269 and (message or packet or cell or frame near2 (descriptor\$1 or identifier\$1 or list or index))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:10
S271	945	S269 and (message or packet or cell or frame near2 (descriptor\$1 or identifier\$1 or list or index))near2 (buffer or queue or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:10
S272	399	S271 and (exceed\$3) with (threshold or maximum or limit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:12
S273	117	S272 and @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:12
S274	94	S273 and (discard\$3 or drop\$4 or reject\$3 or disallow\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:58
S275	10099	(370/229-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 12:14
S276	2502	S275 and (halt or pause or slow or backpressur\$3 or feedback near2 (signal or frame or request))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:14
S277	2392	S276 and (message or packet or cell or frame near2 (descriptor\$1 or identifier\$1 or list or index))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:15
S278	1054	S277 and (exceed\$3) with (threshold or maximum or limit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:15

S279	120	S278 and (discard\$3 or drop\$4 or reject\$3 or disallow\$3) with (pointer or descriptor or Id or identifier\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:15
S280	21	S279 and @ad<"19991126"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:16
S281	1553	(discard\$3 or drop\$4 or reject\$3 or disallow\$3) with (packet or cell or frame near2(pointer or descriptor or Id or identifier\$1)) with (exceed\$3 near2(threshold or limit or maximum or upper))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:20
S282	495	S281 and (halt or pause or slow or backpressur\$3 or feedback near2(signal or frame or request))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:20
S283	80	S282 and @ad<"19991126"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:21
S284	51	(discard\$3 or drop\$4 or dlet\$3 or remov\$3) with (packet or cell or frame) with (link near2(list or pointer))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 17:29
S285	2	"5165021".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 17:32
S286	2	"5933429".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 17:35
S287	6	("5946325" or "5469433" or "6977894").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 17:37
S288	1	S287 and (threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 17:57

S289	18	S284 and (threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 17:57
S290	168	(discard\$3 or drop\$4 or dlet\$3 or remov\$3) same (packet or cell or frame) with (link near2 (list or pointer))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:30
S291	74	S290 and (exceed\$3 near2 (upper or maximum or threshold or limit))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:30
S292	74	S290 and (exceed\$3) near2 (upper or maximum or threshold or limit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:37
S293	18	S292 and @ad<"19991126"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:37
S294	24	((BRUCE) near2 (MELVIN)). INV.	US-PGPUB; USPAT	OR	ON	2011/04/30 11:55
S295	32	((ROBERT) near2 (FAULK)). INV.	US-PGPUB; USPAT	OR	ON	2011/04/30 11:56
S296	9730	(370/230-235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/30 12:01
S297	5118	(370/412-418).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:01
S298	3067	(370/428-429).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:01
S299	4684	(370/235).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/30 12:01
S300	2698	(370/229).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/30 12:01

S301	352	S296 and (discard\$3 or drop\$4 or reject\$3) same (packet or frame or cell or PDU near2 (1d or identifier\$1 or descriptor\$1 or message\$1)) same (exceed \$3 near2 (limit or threshold)) same(queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:02
S302	288	S297 and (discard\$3 or drop\$4 or reject\$3) same (packet or frame or cell or PDU near2 (1d or identifier\$1 or descriptor\$1 or message\$1)) same (exceed \$3 near2 (limit or threshold)) same(queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:02
S303	70	S298 and (discard\$3 or drop\$4 or reject\$3) same (packet or frame or cell or PDU near2 (1d or identifier\$1 or descriptor\$1 or message\$1)) same (exceed \$3 near2 (limit or threshold)) same(queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:02
S304	190	S299 and (discard\$3 or drop\$4 or reject\$3) same (packet or frame or cell or PDU near2 (1d or identifier\$1 or descriptor\$1 or message\$1)) same (exceed \$3 near2 (limit or threshold)) same(queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:02
S305	108	S300 and (discard\$3 or drop\$4 or reject\$3) same (packet or frame or cell or PDU near2 (1d or identifier\$1 or descriptor\$1 or message\$1)) same (exceed \$3 near2 (limit or threshold)) same(queue or buffer or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:02
S306	352	S301 and (exceed\$3 near2 (upper or maximum or threshold or limit or high\$4 or lowest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:03
S307	288	S302 and (exceed\$3 near2 (upper or maximum or threshold or limit or high\$4 or lowest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:03
S308	70	S303 and (exceed\$3 near2 (upper or maximum or threshold or limit or high\$4 or lowest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:03

S309	190	S304 and (exceed\$3 near2 (upper or maximum or threshold or limit or high\$4 or lowest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:04
S310	108	S305 and (exceed\$3 near2 (upper or maximum or threshold or limit or high\$4 or lowest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:04
S311	145	S306 and (halt or pause or slow or backpressur\$3 or feedback near2 (signal or frame or request))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:10
S312	108	S307 and (halt or pause or slow or backpressur\$3 or feedback near2 (signal or frame or request))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:10
S313	1	S301 and (exceed\$3 near2 (upper or maximum or threshold or limit or high or low))with (water near2 (mark or level))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:12
S314	2	S302 and (exceed\$3 near2 (upper or maximum or threshold or limit or high or low))with (water near2 (mark or level))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:12
S315	0	S303 and (exceed\$3 near2 (upper or maximum or threshold or limit or high or low))with (water near2 (mark or level))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:12
S316	33	S296 and (discard\$3 or drop\$4 or delet\$3 or remov\$3) same (packet or cell or frame) with ((link near2 (list or pointer))or (location near2 (Id or identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:13
S317	56	S297 and (discard\$3 or drop\$4 or delet\$3 or remov\$3) same (packet or cell or frame) with ((link near2 (list or pointer))or (location near2 (Id or identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:13
S318	17	S298 and (discard\$3 or drop\$4 or delet\$3 or remov\$3) same (packet or cell or frame) with ((link near2 (list or pointer))or (location near2 (Id or identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:13

S319	10	S299 and (discard\$3 or drop\$4 or delet\$3 or remov\$3) same (packet or cell or frame) with ((link near2 (list or pointer))or (location near2 (Id or identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:14
S320	17	S300 and (discard\$3 or drop\$4 or delet\$3 or remov\$3) same (packet or cell or frame) with ((link near2 (list or pointer))or (location near2 (Id or identifier)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/30 12:14

5/ 5/ 2011 4:13:31 PM

C:\ Documents and Settings\ celpenord\ My Documents\ EAST\ Workspaces\ 10730390.wsp